



















Model	Rated Voltage	No Load		Rated Load			
		Current	Speed	Load	Current	Speed	
		mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>	
KB102	1.2	200	6000	0.8	620	5300	CW
KB205	2.4	120	6700	0.8	320	5300	CW
KB101	3.0	100	6700	0.5	220	6300	CW
KB404	12.0	22	6700	0.8	60	5300	CW
KB503	24.0	23	8200	3.0	130	6200	CW









Model	Rated Voltage	No Load		Rated Load				
		Current	Speed	Load	Current	Speed		
		VDC	mA	min <sup>-1</sup>	mN·m	mA		
KC308	4.5	210	8400	0.7	360	8000	CCW	11.3
KC402	12.0	90	11000	5.0	620	9000	CW	7.7
KC412	12.0	60	6200	7.0	500	3500	CW	6.2
KC503	21.0	45	9000	8.0	400	5900	CCW	9.7
KC514	22.0	50	5200	4.0	150	3550	CW	6.2
KC501	28.0	36	10500	5.5	260	7850	CW	7.7








Model	Rated Voltage	No Load		Rated Load				
		Current	Speed	Load	Current	Speed		
	V <sub>DC</sub>	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>		
KF104	1.5	15	850	0.1	20	760	CW	※タップ° ナシ
KF403	12.0	12	3600	1.0	50	2500	CCW	
KF501	20.0	18	5600	1.5	70	4300	CCW	









Model	Rated Voltage	No Load		Rated Load				
		Current	Speed	Load	Current	Speed		
	V <sub>DC</sub>	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>	<i>l</i>	
KI404	12.0	70	2800	5.0	180	2300	CW	15.1
KI501	24.0	80	5700	15.0	480	4100	CCW	12.0
KI508	24.0	200	7900	20.0	950	5600	CW	9.3
KI415	12.0	180	6900	8.0	680	5900	CW	9.3



Model	Rated Voltage	No Load		Rated Load			CW	l
		Current	Speed	Load	Current	Speed		
	V <sub>DC</sub>	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>		
KI404	12.0	70	2800	5.0	180	2300	CW	15.1
KI501	24.0	80	5700	15.0	480	4100	CCW	12.0
KI508	24.0	200	7900	20.0	950	5600	CW	9.3
KI415	12.0	180	6900	8.0	680	5900	CW	9.3









Model	Rated Voltage	No Load		Rated Load			
		Current	Speed	Load	Current	Speed	
	V <sub>DC</sub>	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>	
KJ204	3.0	280	3200	5.0	870	2500	CW
KJ309	5.0	460	8400	9.0	2200	7300	CCW ※ 33.5
KJ305	6.0	800	15000	15.0	5000	12000	CW
KJ402	12.0	70	2900	5.0	200	2450	CW 両軸
KJ407	12.0	80	3600	5.0	240	3000	CW
KJ510	24.0	60	4800	8.0	230	3800	CW









Model	Rated Voltage V <sub>DC</sub>	No Load		Rated Load			
		Current	Speed	Load	Current	Speed	
		mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>	
KL305	7.2	440	9500	4.0	1000	9000	CW
KL412	12.0	150	4800	10.0	600	3700	CW
KL511	17.0	100	7000	5.0	320	6400	CW
KL551	24.0	65	4700	20.0	520	2800	CW
KL542	24.0	110	7800	9.0	470	6700	CW











Model	Rated Voltage	No Load		Rated Load			
		Current	Speed	Load	Current	Speed	
	V <sub>dc</sub>	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>	
KL516	18.0	150	5600	12.0	570	4550	CW
KL522	18.0	110	5100	10.0	410	4400	CCW
KL521	23.0	80	5950	15.0	470	4550	CCW

















Model	Rated Voltage V <sub>DC</sub>	No Load		Rated Load				
		Current mA	Speed min <sup>-1</sup>	Load mN·m	Current mA	Speed min <sup>-1</sup>		
LJ304	6.0	300	3600	10.0	900	3100	CCW	12.0
LJ441	9.0	280	5400	12.0	1130	4600	CW	8.7
LJ423	12.0	200	5400	12.0	800	4500	CW	8.7
LJ510	24.0	50	2700	10.0	180	2000	CCW	12.0
LJ503	24.0	110	7200	12.0	540	6400	CW	12.0
LJ536	24.0	270	10100	25.0	1500	8100	CW	11.5 軸Dカット





Model	Rated Voltage V <sub>DC</sub>	No Load		Rated Load			Rotation	A B
		Current mA	Speed min <sup>-1</sup>	Load mN·m	Current mA	Speed min <sup>-1</sup>		
LK404	12.0	80	2800	15.0	470	2050	CCW	
LK417	12.0	410	9600	13.0	1550	8800	CCW	
LK401	14.0	270	8400	13.0	1100	7500	CCW	25 φ 2.4 ※
LK503	24.0	50	2800	15.0	240	2000	CCW	
LK507	24.0	120	5200	15.0	500	4500	CCW	







Model	Rated Voltage	No Load		Rated Load			
		Current	Speed	Load	Current	Speed	
		mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>	
LM405	12.0	90	2800	20.0	600	2100	CCW
LM507	24.0	80	4300	20.0	480	3600	CCW
LM503	24.0	160	7400	12.0	820	7000	CCW
LM553	24.0	70	2800	25.0	400	2000	CCW ※16.3



Model	Rated Voltage V <sub>DC</sub>	No Load		Rated Load			CW/CCW	ℓ
		Current mA	Speed min <sup>-1</sup>	Load mN·m	Current mA	Speed min <sup>-1</sup>		
LM408	12.0	100	2600	20.0	560	2000	CW	11.5
LM410	12.0	300	4500	30.0	1500	3300	CW	16.0
LM519	24.0	260	11000	10.0	800	10500	CCW	16.0
LM506	29.0	240	11000	20.0	1200	9800	CW	11.5



[リード線]



Model	Rated Voltage	No Load		Rated Load				
		Current	Speed	Load	Current	Speed		
	V <sub>DC</sub>	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>	ℓ	
LM334	7.2	4000	21500	20.0	12000	20000	CCW	20.0
LM426	12.0	600	8200	30.0	3400	6600	CW	20.6
LM515	24.0	120	3800	20.0	450	3100	CCW	12.0