













Model	Rated Voltage	No Load		Rated Load				ℓ	カップ仕様
		Current	Speed	Load	Current	Speed			
	V <sub>DC</sub>	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>			
U 357	4.5	22	2200	1.0	72	1850	CW	12.8	<sup>26</sup> M2.6
U 426	6.0	34	2800	1.0	85	2500	CW	12.8	<sup>23</sup> M3
U 436	12.0	15	4000	1.0	48	3600	CW	8.8	<sup>26</sup> M2.6
U 546	20.0	10	3000	2.5	50	2200	CW	6.6	
U 544	22.0	20	5600	4.0	125	4100	CCW	8.8	
U 808	24.0	35	9400	3.0	150	8100	CW	12.8	



Model	Rated Voltage	No Load		Rated Load			CW/CCW	ℓ
		Current	Speed	Load	Current	Speed		
	V <sub>dc</sub>	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>		
U 375	5.4	32	2400	1.0	82	2100	CW	8.8
U 459	12.0	24	4000	1.0	58	3600	CW	8.8
U 539	22.0	26	5600	4.0	130	4100	CCW	12.8 タップ°ナシ
U 558	24.0	45	9200	3.0	160	7900	CCW	12.8 タップ°ナシ
U 550	31.0	85	14600	3.5	270	13500	CCW	12.8



Model	Rated Voltage	No Load		Rated Load			タップ仕様			
		Current	Speed	Load	Current	Speed	ℓ	A	B	
	Vdc	mA	min <sup>-1</sup>	mN·m	mA	min <sup>-1</sup>				
U353	4.2	230	9200	4.0	1150	8100	CW	19.0	23	2-M3
U369	6.0	140	7000	4.0	640	6300	CCW	11.3	26	2-M2.6
U467	12.0	40	4600	3.5	210	3900	CCW	12.8	26	2-M2.6
U573	28.0	75	11000	7.0	350	9100	CCW	7.9	26	3-M2.6※
KE543	24.0	60	9800	5.0	250	8200	CCW	7.9	26	3-M2.6※
KE544	24.0	30	4000	2.5	60	3400	CCW	7.9	26	3-M2.6※